| US-FGPUB EPO, IPO DER WENT; BIM TDB USFAT; US-FGPUB EPO, IPO DER WENT; BIM TDB USFAT; US-FGPUB EPO, IPO DER WENT; US-FGPUB EPO IPO I | L Number | Hits | Search Text | DB | Time stamp |
|---|----------|------|---|-----------|--------------------|
| FPO, IPO, DERWENT, IBM_TDB USPAT, US-PGPUB, interface) and hierarchy) and (API or (application near3 programming near3 interface)) and hierarchy) and (API or (application near3 programming near3 interface)) and hierarchy) and (API or (application near3 programming near3 interface)) and hierarchy) and (API or (application near3 programming near3 interface)) and hierarchy) and (API or (application near3 programming near3 interface)) and hierarchy) and (API or (application near3 programming near3 interface)) and map\$3 | - | 6442 | object with storage with access\$3 | USPAT; | 2004/03/28 13:29 |
| DERWENT; BM TDB USPAT; US-PGPUB; EPO; PPO; DERWENT; BM TDB USPAT; US-PGPUB; EPO; PPO; PPO; DERWENT; BM TDB USPAT; US-PGPUB; EPO; PPO; PPO; DERWENT; BM TDB USPAT; US-PGPUB; EPO; PPO; PPO; DERWENT; US-PGPUB; EPO; PPO; PPO; DERWENT; US-PGPUB; EPO; | | | | US-PGPUB; | |
| DERWENT; BM TDB USPAT; US-PGPUB; EPO, IPO, DERWENT; IBM TDB USPAT; US-PGPUB; EPO, IPO, IPO, DERWENT; IBM TDB USPAT; US-PGPUB; EPO, IPO, IPO, DERWENT; IBM TDB USPAT; US-PGPUB; EPO, IPO, IPO, IPO, IPO, IPO, IPO, IPO, I | | | | | |
| BM_TDB USPAT; US-PGPUB; EPO, IPO, DERWENT; BM_TDB USPAT; US- | | | | | |
| 15 | | | | | |
| US-PGPUB; EPO, JPO, DERWENT; EPO, JPO, DERWENT, IBM, TIDB (((object with storage with access\$3) and (stack near3 level)) and hierarchy) and (API or (application near3 programming near3 interface)) - 4 (((((object with storage with access\$3) and (stack near3 level)) and hierarchy) and (API or (application near3 programming near3 interface)) and module) and map\$3 - 4 (((((object with storage with access\$3) and (stack near3 level)) and hierarchy) and (API or (application near3 programming near3 interface))) and module) and map\$3 - 8 (((((object with storage with access\$3) and (stack near3 level)) and hierarchy) and (API or (application near3 programming near3 interface))) and module - 9 (object with storage with access\$3) and (stack near3 level)) and hierarchy) and (API or (application near3 programming near3 interface))) and module - 9 (object with storage with access\$3) and "stack level" - 9 (stack level" - 176 (stack near3 level) - 176 ((stack near3 level)) with storage - 176 ((stack near3 level)) with storage - 176 ((stack near3 level)) with storage | - | 33 | (object with storage with access\$3) and (stack near3 level) | _ | 2004/03/26 13:38 |
| FEO, JPO, DERWENT; BM, TDB USPAT; US-PGPUB; EPO, JPO, DERWENT; BM TDB USPAT; US-PGPUB; interface)) and module and map\$3 Cobject with storage with access\$3) and (stack near3 level)) and hierarchy) and (API or (application near3 programming near3 interface)) and module) and map\$3 Cobject with storage with access\$3) and (stack near3 level) and hierarchy) and (API or (application near3 programming near3 interface))) and module) and map\$3 Cobject with storage with access\$3) and (stack near3 level)) and hierarchy) and (API or (application near3 programming near3 interface))) and module) and map\$3 Cobject with storage with access\$3) and (stack near3 level)) and hierarchy) and (API or (application near3 programming near3 interface))) and module Cobject with storage with access\$3) and "stack level" Cobject with storage with access\$3) and (stack near3 level) Cobject with storage with access\$3) and (stack near3 level) Cobject with storage with access\$3) and (stack near3 level) Cobject with storage with access\$3] | | | | 1 | |
| - | | | | | |
| Solution | | | | | |
| 15 ((object with storage with access\$3) and (stack near3 level)) and hierarchy (((object with storage with access\$3) and (stack near3 level)) and hierarchy) and (API or (application near3 programming near3 interface)) ((((object with storage with access\$3) and (stack near3 level)) and hierarchy) and (API or (application near3 programming near3 interface)) ((((object with storage with access\$3) and (stack near3 level)) and hierarchy) and (API or (application near3 programming near3 interface)) ((((object with storage with access\$3) and (stack near3 level)) and hierarchy) and (API or (application near3 programming near3 interface))) and module ((((object with storage with access\$3) and (stack near3 level)) and hierarchy) and (API or (application near3 programming near3 interface))) and module ((((object with storage with access\$3) and (stack near3 level)) and hierarchy) and (API or (application near3 programming near3 interface)) ((((((((bject with storage with access\$3)) and (stack near3 level)) and hierarchy) and (API or (application near3 programming near3 interface)) ((((((((((((((((((((((((((((((((((| | | | 1 | |
| hierarchy hierarchy hierarchy Micrarchy | | 15 | ((object with storage with access\$3) and (stack near3 level)) and | | 2004/03/26 11:12 |
| - 8 (((object with storage with access\$3) and (stack near3 level)) and hierarchy) and (API or (application near3 programming near3 interface)) - 4 (((((object with storage with access\$3) and (stack near3 level)) and hierarchy) and (API or (application near3 programming near3 interface))) and module) and map\$3 - 8 ((((object with storage with access\$3) and (stack near3 level)) and hierarchy) and (API or (application near3 programming near3 interface))) and module) and map\$3 - 8 ((((object with storage with access\$3) and (stack near3 level)) and hierarchy) and (API or (application near3 programming near3 interface))) and module - 9 (object with storage with access\$3) and "stack level" - 9 (object with storage with access\$3) and "stack level" - 10 | | | | 1 | |
| BERWENT; IBM_TDB USPAT; US-PGPUB; EPO, IPO, DERWENT; IBM_TDB USPAT; US-PGPUB; Interface)) and module) and map\$3 - | | | | | |
| 8 ((((object with storage with access\$3) and (stack near3 level)) and hierarchy) and (API or (application near3 programming near3 interface)) 4 (((((object with storage with access\$3) and (stack near3 level)) and hierarchy) and (API or (application near3 programming near3 interface))) and module) and map\$3 - | | | | | |
| - | | | | 1 | |
| hierarchy) and (API or (application near3 programming near3 interface)) hierarchy) and (API or (application near3 programming near3 LUS-PGPUB; EPO; JPO; DERWENT; IBM_TDB LUSPAT; LUS-PGPUB; EPO; JPO; JPO; DERWENT; IBM_TDB LUSPAT; LUS-PGPUB; EPO; JPO; LUSPAT; LUS-PGPUB; EPO; JPO; LUSPAT; LUS-PGPUB; EPO; JPO; LUSPAT; | - | 8 | (((object with storage with access\$3) and (stack near3 level)) and | | 2004/03/26 15:38 |
| interface)) - 4 (((((object with storage with access\$3) and (stack near3 level)) and hierarchy) and (API or (application near3 programming near3 interface))) and module) and map\$3 - 8 ((((object with storage with access\$3) and (stack near3 level)) and hierarchy) and (API or (application near3 programming near3 usper)) and hierarchy) and (API or (application near3 programming near3 usper)) uspAT; US-PGPUB, EPO, IPO, DERWENT; IBM_TDB USPAT | | Ū | | 1 | 200 11 05/20 15:50 |
| Comparison of the comparison | | | 1 | | |
| - 4 (((((object with storage with access\$3) and (stack near3 level)) and hierarchy) and (API or (application near3 programming near3 interface))) and module) and map\$3 - 8 ((((object with storage with access\$3) and (stack near3 level)) and hierarchy) and (API or (application near3 programming near3 interface))) and module - 9 (object with storage with access\$3) and "stack level" - 9 (object with storage with access\$3) and "stack level" - 9 (object with storage with access\$3) and "stack level" - 806 "stack level" - 806 "stack level" - 176 ((stack near3 level)) with storage - 176 ((stack near3 level)) with storage - 176 ((stack near3 level)) with storage | | | meriace | | |
| 4 | | | | | |
| hierarchy) and (API or (application near3 programming near3 interface))) and module) and map\$3 - 8 ((((object with storage with access\$3) and (stack near3 level)) and hierarchy) and (API or (application near3 programming near3 interface))) and module - 9 (object with storage with access\$3) and "stack level" - 9 (object with storage with access\$3) and "stack level" - 806 "stack level" - 806 "stack level" - 5576 (stack near3 level) - 176 ((stack near3 level)) with storage | _ | Λ | (((((ahiect with storage with access\$3) and (stock near3 level)) and | _ | 2004/03/26 12:52 |
| interface))) and module) and map\$3 EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USP | - | - | | | 2004/03/20 12.32 |
| Solution Comparison Compa | | | | | |
| Solution Comparison Compa | | | interface))) and module) and map 3 | | |
| S (((((object with storage with access\$3) and (stack near3 level)) and hierarchy) and (API or (application near3 programming near3 interface))) and module EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; | | | | _ | |
| hierarchy) and (API or (application near3 programming near3 US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISPAT; US-PGPUB; EPO; JPO; DERWENT; ISPO; JPO; DERWENT; ISPO; JPO; JPO; DERWENT; ISPO; JPO; DERWENT; ISPO; JPO; DERWENT; ISPO; JPO; JPO; DERWENT; ISPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J | | 0 | ((((h) 4 m) 4 m m) 4 m m) 4 m m (2) 1 (4 1 21 1) 1 | | 2004/02/26 12:00 |
| interface))) and module | - | 8 | | | 2004/03/26 12:08 |
| DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; IPO; DERWENT; US-PGPUB; US- | 1 | | | 1 | |
| - 9 (object with storage with access\$3) and "stack level" - 806 "stack level" - 806 "stack level" - 5576 (stack near3 level) - 176 ((stack near3 level)) with storage BM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISM_TDB USPAT; US-PGPUB; E | | | interface))) and module | | |
| - 806 "stack level" USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; | 1 | | | | |
| US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; EPO; JPO; DERWENT; | | | (1) (1) (1) (1) | | |
| EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; | - | 9 | (object with storage with access\$3) and "stack level" | | 2004/03/26 13:03 |
| DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; EPO; JPO; EPO; JPO; DERWENT; EPO; JPO; EPO; JPO; | | | | 1 | |
| - 806 "stack level" | | | | | |
| - 806 "stack level" USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; |] | | | | |
| US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; | | 907 | R.A. 1-1 10 | | 0004/00/06 10 00 |
| EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; | - | 806 | "Stack level" | | 2004/03/26 13:03 |
| DERWENT; BM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPAT; DERWENT; IBM_TDB USPAT; USPAT | | | | | |
| - 5576 (stack near3 level) - 176 (stack near3 level) - 176 (stack near3 level)) with storage IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; DERWENT; ISPO; JPO; DERWENT; ISPO; JPO; DERWENT; | | | | | |
| - 5576 (stack near3 level) - 176 (stack near3 level) ((stack near3 level)) with storage USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; | | | | | |
| US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; DERWENT; | | 5576 | (otaala mana) lannal\ | | 2004/02/25 - 25 |
| EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; DERWENT; DERWENT; | - | 22/6 | (stack nears level) | | 2004/03/26 13:27 |
| DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; DERWENT; | | | | | |
| - 176 ((stack near3 level)) with storage IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; | | | | | |
| - 176 ((stack near3 level)) with storage USPAT; US-PGPUB; EPO; JPO; DERWENT; | | | | | |
| US-PGPUB; EPO; JPO; DERWENT; | | 176 | (| | |
| EPO; JPO; DERWENT; | - | 1/6 | ((stack near 3 level)) with storage | | 2004/03/26 13:27 |
| DERWENT; | | | | | |
| | | | | | |
| I IDM TTD | | | | | |
| | | _ | | IBM_TDB | |
| | - | 1 | (((stack near3 level)) with storage) with (object near3 location) | | 2004/03/26 15:18 |
| US-PGPUB; | | | | | |
| ЕРО; ЈРО; | | | | | |
| DERWENT; | [| | | | |
| IBM_TDB | | | | | |
| | - | 7 | (((stack near3 level)) with storage) with object | | 2004/03/26 13:37 |
| US-PGPUB; | | | | | |
| ЕРО; ЈРО; | | | | | |
| DERWENT; | | | | | |
| IBM_TDB | | | | IBM_TDB | |

| - | 5 | ((((stack near3 level)) with storage) with object) and (API or (application near3 programming near3 interface)) | USPAT; US-PGPUB; | 2004/03/28 13:30 |
|---|----------|--|-----------------------|------------------|
| | | | ЕРО; ЈРО; | |
| | - | | DERWENT; | |
| | 22 | 11267020711 | IBM_TDB | 2004/02/26 12:20 |
| - | 33 | "3670307" | USPAT; US-PGPUB; | 2004/03/26 13:38 |
| | | | ЕРО; ЛРО; | |
| | - | | DERWENT; | |
| | | | IBM_TDB | |
| - | 3 | "3670307" and (stack near3 level) | USPAT; | 2004/03/26 13:38 |
| | | , | US-PGPUB; | |
| | | | ЕРО; ЛРО; | |
| | | | DERWENT; | |
| | | Wa (50005) 1 505 (a. 4 | IBM_TDB | |
| - | 3 | "3670307" and 707/\$.ccls. | USPAT; | 2004/03/26 14:14 |
| | | | US-PGPUB; | |
| | | | EPO; JPO; DERWENT; | |
| | | | IBM_TDB | |
| _ | 2 | (((stack near3 level)) with storage) same (object with location) | USPAT; | 2004/03/26 15:35 |
| | Ī | (((common solution)) | US-PGPUB; | 20000,20 15.55 |
| | | | ЕРО; ЛРО; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 2 | (((stack near3 level)) with storage) same (object same location) | USPAT; | 2004/03/26 15:18 |
| | | | US-PGPUB; | |
| | - | | ЕРО; ЛРО; | |
| | | | DERWENT; | |
| _ | 7 | (((stack near3 level)) with storage) same object | IBM_TDB USPAT; | 2004/03/26 15:31 |
| | ' | (((stack fical 3 level)) with storage) same object | US-PGPUB; | 2004/03/20 13.31 |
| | | | ЕРО; ЛРО; | |
| | 1 | | DERWENT; | |
| | | | IBM_TDB | |
| - | 259 | (object with storage with access\$3) and (storage with hierarchy) | USPAT; | 2004/03/26 16:00 |
| | | | US-PGPUB; | |
| | | | ЕРО; ЛРО; | |
| | | | DERWENT; | |
| _ | 145 | ((object with storage with access\$3) and (storage with hierarchy)) | IBM_TDB USPAT; | 2004/03/26 15:36 |
| | 175 | and map\$3 | US-PGPUB; | 2004103120 13.30 |
| | | • | ЕРО; ЛРО; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| • | 135 | (((object with storage with access\$3) and (storage with hierarchy)) | USPAT; | 2004/03/26 15:38 |
| | | and map\$3) and location | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| _ | 100 | (((object with storage with access\$3) and (storage with hierarchy)) | IBM_TDB USPAT; | 2004/03/26 15:38 |
| | 100 | and map\$3) and (location with object) | US-PGPUB; | 2004103120 13.36 |
| | | [/ (| EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 56 | ((((object with storage with access\$3) and (storage with hierarchy)) | USPAT; | 2004/03/26 15:38 |
| | | and map\$3) and (location with object)) and (API or (application | US-PGPUB; | |
| | | near3 programming near3 interface)) | EPO; JPO; | |
| | | | DERWENT; | |
| L | L | | IBM_TDB | |

| - | 42 | (((((object with storage with access\$3) and (storage with hierarchy)) | USPAT; | 2004/03/26 16:10 |
|---|--------|--|-----------|-------------------|
| | | and map\$3) and (location with object)) and (API or (application | US-PGPUB; | |
| | | near3 programming near3 interface))) and module\$2 | ЕРО, ЈРО; | |
| | | | DERWENT; | |
| | | | IBM TDB | |
| _ | 11 | "stack level" with object | USPAT; | 2004/03/26 16:06 |
| | | | US-PGPUB; | 200 1/05/20 10:00 |
| | | | ЕРО; ЈРО; | |
| | | | DERWENT; | |
| | | | IBM TDB | |
| _ | 26 | "stack level" with storage | USPAT; | 2004/03/26 16:06 |
| | 20 | Smok 10 for Willi Storage | US-PGPUB; | 2004/03/20 10:00 |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | | |
| | 15 | (((((((object with storage with access\$3) and (storage with | IBM_TDB | 2004/02/26 16:11 |
| 1 | 13 | hierarchy)) and map\$3) and (location with object)) and (API or | USPAT; | 2004/03/26 16:11 |
| | | (application near3 programming near3 interface))) and module\$2) | US-PGPUB; | |
| | | and 707/\$ | EPO; JPO; | |
| | | | DERWENT; | |
| | 102000 | | IBM_TDB | 20044024201220 |
| - | 102988 | object with storage | USPAT; | 2004/03/28 13:29 |
| | • | | US-PGPUB; | |
| | | | ЕРО; ЈРО; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 1191 | (object with storage) with map\$3 | USPAT; | 2004/03/28 13:29 |
| | | | US-PGPUB; | |
| | | | ЕРО; ЈРО; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 166 | ((object with storage) with map\$3) and (API or (application near3 | USPAT; | 2004/03/28 13:41 |
| | | programming near3 interface)) | US-PGPUB; | |
| | | | ЕРО; ЛРО; | } |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 23 | (((object with storage) with map\$3) and (API or (application near3 | USPAT; | 2004/03/28 13:42 |
| | | programming near3 interface))) and (storage with extent\$3) | US-PGPUB; | |
| | | | ЕРО; ЈРО; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 3 | ((((object with storage) with map\$3) and (API or (application | USPAT; | 2004/03/28 13:44 |
| | | near3 programming near3 interface))) and (storage with extent\$3)) | US-PGPUB; | |
| | | and stack | ЕРО; ЈРО; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 8 | ((((object with storage) with map\$3) and (API or (application | USPAT; | 2004/03/28 13:47 |
| | | near3 programming near3 interface))) and (storage with extent\$3)) | US-PGPUB; | |
| | | and module | ЕРО; ЈРО; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 2 | (((((object with storage) with map\$3) and (API or (application | USPAT; | 2004/03/28 13:47 |
| | | near3 programming near3 interface))) and (storage with extent\$3)) | US-PGPUB; | |
| | | and stack) and module | ЕРО; ЈРО; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |